



Volume contents

Volume 72 (1998)

Issue contents	1	C. Biben, T. Hatzistavrou, R.P. Harvey Expression of NK-2 class homeobox gene Nkx2-6 in	
Review article		foregut endoderm and heart	125
P.D. Currie, P.W. Ingham The generation and interpretation of positional information within the vertebrate myotome	3	H. Hiemisch, A.P. Monaghan, G. Schütz, K.H. Kaestner Expression of the mouse <i>Fkh1/Mf1</i> and <i>Mfh1</i> genes in late gestation embryos is restricted to mesoderm deriva-	
J. Lu, J.A. Richardson, E.N. Olson Capsulin: a novel bHLH transcription factor expressed		tives	129
in epicardial progenitors and mesenchyme of visceral organs	23	Issue contents	133
 H. Hidai, R. Bardales, R. Goodwin, T. Quertermous, E.E. Quertermous Cloning of capsulin, a basic helix-loop-helix factor expressed in progenitor cells of the pericardium and 		Review article D. Yamamoto, K. Fujitani, K. Usui, H. Ito, Y. Nakano From behavior to development: genes for sexual behavior define the neuronal sexual switch in <i>Drosophila</i>	135
the coronary arteries HC. Seo, Ø. Drivenes, S. Ellingsen, A. Fjose Expression of two zebrafish homologues of the murine	33	D. Mennerich, K. Schäfer, T. Braun Pax-3 is necessary but not sufficient for lbx1 expression in myogenic precursor cells of the limb	147
Six3 gene demarcates the initial eye primordia	45	C. Hudson, H.R. Woodland	
N.D.E. Greene, D. Gerrelli, H.W.M. Van Straaten, A.J. Copp		Xpat, a gene expressed specifically in germ plasm and primordial germ cells of <i>Xenopus laevis</i>	159
Abnormalities of floor plate, notochord and somite dif- ferentiation in the <i>loop-tail</i> (<i>Lp</i>) mouse: a model of severe neural tube defects	59	Y. Ma, E.L. Niemitz, P.A. Nambu, X. Shan, C. Sackerson, M. Fujioka, T. Goto, J.R. Nambu Gene regulatory functions of <i>Drosophila</i> Fish-hook, a	
M. Pannese, G. Lupo, B. Kablar, E. Boncinelli, G.		high mobility group domain Sox protein	169
Barsacchi, R. Vignali The <i>Xenopus Emx</i> genes identify presumptive dorsal telencephalon and are induced by head organizer signals	73	J. Rossant, F. Guillemot, M. Tanaka, K. Latham, M. Gertenstein, A. Nagy Mash2 is expressed in oogenesis and preimplantation	
O. Pabst, H. Herbrand, HH. Arnold		development but is not required for blastocyst formation	183
Nkx2-9 is a novel homeobox transcription factor which demarcates ventral domains in the developing mouse CNS	85	W.M. Leiserson, S. Benzer, N.M. Bonini Dual functions of the <i>Drosophila eyes absent</i> gene in the eye and embryo	193
M. Kloc, L.D. Etkin		A. Heller, M. Steinmann-Zwicky	
Apparent continuity between the messenger transport organizer and late RNA localization pathways during oogenesis in <i>Xenopus</i>	95	In <i>Drosophila</i> , female gonadal cells repress male-speci- fic gene expression in XX germ cells	203
L.D.J. Zakin, S. Mazan, M. Maury, N. Martin, JL. Guénet, P. Brûlet		Gene expression patterns T. Kurisaki, A. Masuda, N. Osumi, Yi. Nabeshima, A. Fujisawa-Sehara	
Structure and expression of <i>Wnt13</i> , a novel mouse <i>Wnt2</i> related gene	107	Spatially- and temporally-restricted expression of meltrin α (ADAM12) and β (ADAM19) in mouse embryo	211
Gene expression patterns S. Jain, E. Maltepe, M.M. Lu, C. Simon, C.A. Bradfield		V. Nataf, A. Amemiya, M. Yanagisawa, N.M. Le Douarin	
Expression of ARNT, ARNT2, HIF1 α , HIF2 α and Ah receptor mRNAs in the developing mouse	117	The expression pattern of endothelin 3 in the avian embryo	217

V. Avantaggiato, M. Orlandini, D. Acampora, S. Oliviero, A. Simeone

Embryonic expression pattern of the murine *figf* gene, a growth factor belonging to platelet-derived growth factor/vascular endothelial growth factor family

Author index Subject index Volume contents

231 233 239

S.C. Williams, C.R. Altmann, R.L. Chow, A.

Hemmati-Brivanlou, R.A. Lang

A highly conserved lens transcriptional control element from the Pax-6 gene

225

221

